




# ETHER S 150 SQ

Patrick Jouin, 2025

# LEUCOS

## TECHNICAL SHEET

MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Metal
DIMENSIONS	Diffuser: 70x70cm H150cm [27 1/2" x 27 1/2" H59"] Structure: 59x59cm H5,5cm [23 1/4" x 23 1/4" H2 1/8"]
LIGHT SOURCE	LED 5X8,7W (43,5W total) 4580lm (nominal) 3000K CRI≥90 LED 5X8,7W (43,5W total) 4304lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI
MARKING	  
NET WEIGHT	30 Kg



VERSION A



VERSION B




VERSION C




VERSION D

We reserve the right to change our product specifications.  
Please visit [www.leucos.com](http://www.leucos.com) for the latest product information




## ETHER S 150 SQ VERSION A

DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014463 0014464




## ETHER S 150 SQ VERSION B

DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014465 0014466



## ETHER S 150 SQ VERSION C



DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014467 0014468





## ETHER S 150 SQ VERSION D

DIMMING PROTOCOL	Push-dim; 0/1-10V, DALI	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014469 0014470



VERSION A



VERSION B - B



VERSION B - C - C - B



VERSION D - D - D - D

